

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
1	BRS	L1	4135	(multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:57		
2	BRS	L3	0	2 and (delet\$3 adj2 request\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:38		
3	BRS	L4	0	2 and (delet\$3 near2 request\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:38		
4	BRS	L2	7	1 and (record\$1 adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) near9 ((result\$1 near set\$1) or stream\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:41		
5	BRS	L5	1380	1 and (updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:04		Truncation Overflow. Return string from Server is: 5'0'0'UPD
6	BRS	L6	162	1 and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:04		Truncation Overflow. Return string from Server is: 5'0'0'UPD
7	BRS	L7	0	6 and ((updat\$6 or chang\$6 or modif\$6) near6 (record! adj retrieved!)) near9 search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:49		Truncation Overflow. Return string from Server is: 5'0'0'UPD
8	BRS	L8	0	6 and ((updat\$6 or chang\$6 or modif\$6) near6 (record! adj retrieved!)) same search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:54		Truncation Overflow. Return string from Server is: 5'0'0'UPD
9	BRS	L9	0	6 and ((updat\$6 or chang\$6 or modif\$6) near20 (record! adj retrieved!)) same search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:52		Truncation Overflow. Return string from Server is: 5'0'0'UPD
10	BRS	L10	0	6 and ((updat\$6 or chang\$6 or modif\$6) near20 (record! adj retrieved!)) and search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:53		Truncation Overflow. Return string from Server is: 5'0'0'UPD
11	BRS	L12	0	11 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:56		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
12	BRS	L11	22	((updat\$6 or chang\$6 or modif\$6) near6 (record! adj retrieved!)) same search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:25		Truncation Overflow. Return string from Server is: 5'0'0'UPD
13	BRS	L13	4	11 and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:57		
14	BRS	L14	162	1 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:57		
15	BRS	L15	67	14 and (707/1,3,10,201.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:07		
16	BRS	L17	0	16 and (search\$3 adj (result\$1 and (request\$3 or quer\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:01		
17	BRS	L18	0	16 and (search\$3 adj (result\$1 or (request\$3 or quer\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:12		
18	BRS	L16	4	15 and (routing! or router\$1 or route! or routed! or routes! or route!) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:18		
19	BRS	L19	11928	(updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:06		Truncation Overflow. Return string from Server is: 5'0'0'UPD
20	BRS	L20	646	((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:07		Truncation Overflow. Return string from Server is: 5'0'0'UPD
21	BRS	L21	67	15 and (707/1,3,10,201.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:09		
22	BRS	L22	57	21 and (delet\$3 or (updat\$3 near2 field\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:13		
23	BRS	L23	271553 64	22 not @ ad > "19990409"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:11		
24	BRS	L24	53	22 not @ad > "19990409"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:12		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition
25	BRS	L25	9	24 and (search\$3 adj (result\$1 or (request\$3 or quer\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:22		
26	BRS	L26	0	21 and (delet\$3 near10 (updat\$3 near2 field\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:14		
27	BRS	L28	0	27 and (search\$3 adj (result\$1 or (request\$3 or quer\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:18		
28	BRS	L27	4	21 and (delet\$3 same (updat\$3 near2 field\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:14		
29	BRS	L29	10	21 and (search\$3 adj (result\$1 or (request\$3 or quer\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:18		
30	BRS	L30	0	29 and (routing! or router\$1 or route! or routed! or routes! or route!) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:19		
31	BRS	L31	4	21 and (routing! or router\$1 or route! or routed! or routes! or route!) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:20		
32	BRS	L32	66	1 and (routing! or router\$1 or route! or routed! or routes! or route!) adj (database\$1 or data-base\$1 or (data! adj base\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:22		
33	BRS	L33	46	32 and 19	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:22		
34	BRS	L34	1	33 and (search\$3 adj result\$1) and (search\$1 adj2 (request\$3 or quer\$5))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:24		
35	BRS	L35	1	34 and (delet\$3 or indicat\$3 or flag\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:25		
36	BRS	L36	0	35 and (updat\$6 or chang\$6 or modif\$6) same record\$1 same search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:28		Truncation Overflow. Return string from Server is: 5'0'0'UPD
37	BRS	L37	1	35 and (updat\$6 or chang\$6 or modif\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:29		Truncation Overflow. Return string from Server is: 5'0'0'UPD

L Number	Hits	Search Text	DB	Time stamp
1	4135	((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:57
3	0	((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (record\$1 adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) near9 ((result\$1 near set\$1) or stream\$1) and (delet\$3 adj2 request\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:38
4	0	((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (record\$1 adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) near9 ((result\$1 near set\$1) or stream\$1) and (delet\$3 near2 request\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:38
2	7	((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (record\$1 adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) near9 ((result\$1 near set\$1) or stream\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:41
5	1380	((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:04
6	162	((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:04
7	0	((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1) and ((updat\$6 or chang\$6 or modif\$6) near6 (record! adj retrieved!)) near9 search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:49
8	0	((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1) and ((updat\$6 or chang\$6 or modif\$6) near6 (record! adj retrieved!)) same search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:54
9	0	((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1) and ((updat\$6 or chang\$6 or modif\$6) near20 (record! adj retrieved!)) same search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:52
10	0	((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1) and ((updat\$6 or chang\$6 or modif\$6) near20 (record! adj retrieved!)) and search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:53
12	0	((updat\$6 or chang\$6 or modif\$6) near6 (record! adj retrieved!)) same search\$3) and (((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:56

Search History 11/30/01 9:30:18 AM Page 1

11	22	((updat\$6 or chang\$6 or modif\$6) near6 (record! adj retrieved!)) same search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:25
13	4	((updat\$6 or chang\$6 or modif\$6) near6 (record! adj retrieved!)) same search\$3 and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:57
14	162	((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 08:57
15	67	((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1))) and (707/1,3,10,201.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:07
17	0	((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1))) and (707/1,3,10,201.ccls.) and (routing! or router\$1 or route! or routed! or routes! or route!) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) and (search\$3 adj (result\$1 and (request\$3 or quer\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:01
18	0	((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1))) and (707/1,3,10,201.ccls.) and (routing! or router\$1 or route! or routed! or routes! or route!) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) and (search\$3 adj (result\$1 or (request\$3 or quer\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:12
16	4	((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1))) and (707/1,3,10,201.ccls.) and (routing! or router\$1 or route! or routed! or routes! or route!) adj4 (database\$1 or data-base\$1 or (data! adj base\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:18
19	11928	(updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:06

20	646	((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:07
21	67	(((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1))) and (707/1,3,10,201.ccls.)) and (707/1,3,10,201.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:09
22	57	((((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1))) and (707/1,3,10,201.ccls.)) and (707/1,3,10,201.ccls.)) and (delet\$3 or (updat\$3 near2 field\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:13
23	27155364	((((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1))) and (707/1,3,10,201.ccls.)) and (707/1,3,10,201.ccls.)) and (delet\$3 or (updat\$3 near2 field\$1))) not @ ad > "19990409"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:11
24	53	((((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1))) and (707/1,3,10,201.ccls.)) and (707/1,3,10,201.ccls.)) and (delet\$3 or (updat\$3 near2 field\$1))) not @ad > "19990409"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:12
25	9	((((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1))) and (707/1,3,10,201.ccls.)) and (707/1,3,10,201.ccls.)) and (delet\$3 or (updat\$3 near2 field\$1))) not @ad > "19990409") and (search\$3 adj (result\$1 or (request\$3 or quer\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:22
26	0	((((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1))) and (707/1,3,10,201.ccls.)) and (707/1,3,10,201.ccls.)) and (delet\$3 near10 (updat\$3 near2 field\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:14

28	0	((((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1))) and (707/1,3,10,201.ccls.)) and (707/1,3,10,201.ccls.)) and (delet\$3 same (updat\$3 near2 field\$1))) and (search\$3 adj (result\$1 or (request\$3 or quer\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:18
27	4	((((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1))) and (707/1,3,10,201.ccls.)) and (707/1,3,10,201.ccls.)) and (delet\$3 same (updat\$3 near2 field\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:14
29	10	((((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1))) and (707/1,3,10,201.ccls.)) and (707/1,3,10,201.ccls.)) and (search\$3 adj (result\$1 or (request\$3 or quer\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:18
30	0	((((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1))) and (707/1,3,10,201.ccls.)) and (707/1,3,10,201.ccls.)) and (search\$3 adj (result\$1 or (request\$3 or quer\$5)))) and (routing! or router\$1 or route! or routed! or routes! or route!) adj4 (database\$1 or data-base\$1 or (data! adj base\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:19
31	4	((((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) same ((updat\$6 or chang\$6 or modif\$6) near record\$1))) and (707/1,3,10,201.ccls.)) and (707/1,3,10,201.ccls.)) and (routing! or router\$1 or route! or routed! or routes! or route!) adj4 (database\$1 or data-base\$1 or (data! adj base\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:20
32	66	((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (routing! or router\$1 or route! or routed! or routes! or route!) adj (database\$1 or data-base\$1 or (data! adj base\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:22
33	46	((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (routing! or router\$1 or route! or routed! or routes! or route!) adj (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:22

34	1	(((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (routing! or router\$1 or route! or routed! or routes! or route!) adj (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) and (search\$3 adj result\$1) and (search\$1 adj2 (request\$3 or quer\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:24
35	1	(((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (routing! or router\$1 or route! or routed! or routes! or route!) adj (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) and (search\$3 adj result\$1) and (search\$1 adj2 (request\$3 or quer\$5))) and (delet\$3 or indicat\$3 or flag\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:25
36	0	((((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (routing! or router\$1 or route! or routed! or routes! or route!) adj (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) and (search\$3 adj result\$1) and (search\$1 adj2 (request\$3 or quer\$5))) and (delet\$3 or indicat\$3 or flag\$1)) and (updat\$6 or chang\$6 or modif\$6) same record\$1 same search\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:28
37	1	((((multiple! or multi\$2 or distribut\$3 or heterogeneous!) adj2 (database\$1 or data-base\$1 or (data! adj base\$1))) and (routing! or router\$1 or route! or routed! or routes! or route!) adj (database\$1 or data-base\$1 or (data! adj base\$1))) and ((updat\$6 or chang\$6 or modif\$6) adj4 (database\$1 or data-base\$1 or (data! adj base\$1))) and (search\$3 adj result\$1) and (search\$1 adj2 (request\$3 or quer\$5))) and (delet\$3 or indicat\$3 or flag\$1)) and (updat\$6 or chang\$6 or modif\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2001/11/30 09:29